## **COLLOQUIUM**

Department of Statistics and Probability Michigan State University

## Juyong Park University of Maryland, Baltimore County Department of Mathematics and Statistics

## A Robust Test for Detecting a Signal in a High Dimensional Sparse Normal Vector

Tuesday, March 13, 2012 A405 Wells Hall 10:20 a.m. - 11:10 a.m. Refreshments: 10:00 a.m.

## Abstract

Let  $Z_i$ , i = 1, ..., n, be independent random variables,  $E(Z_i) = \mu_i$ , and  $Var(Z_i) = 1$ . We consider the problem of testing  $H_0: \mu_i = 0, i = 1, ..., n$ , when n is large, and the vector  $(\mu_1, ..., \mu_n)$ is 'sparse'. We suggest a robust test which is not sensitive to the exact tail behavior implied under normality assumptions. In particular, our test is 'robust' if the 'moderate deviation' tail of the distribution of  $Z_i$  may be represented as the product of a tail of a standard normal and a 'slowly changing' function. This implies that whenever an Anderson-Darling type of test is robust, our proposed test is also 'robust'. We provide examples and simulation evidence to demonstrate the robustness of our proposed test and the need for such robust tests. We also present a real data example highlighting the importance of robustness.

To request an interpreter or other accomodations for people with disabilities, please call the Department of Statistics and Probability at 517-355-9589.